

SoundBroker

Truck Specifications:

2000 Peterbilt Model 330 26' WB 33000 GVW Mileage:
Cat. C3 300 HP Diesel. Eaton 9sp Manual & Bendix Air Ride Suspension.

Body:

Gerling 24' Stallion Class Full Aluminum Construction.
2" Square tube structure and continuous aluminum sheathing.
(3) Full size External Belly Bays (1) 1/2 size & (2) I/O Bays.
Lift-gate: Interlift Steel Fold-out with 2800 Lb capacity, lift and tilt.
Aluminum & stairs with Stainless Steel Handrails

HVAC:

(2) Bard 3 ton Wall Package Units with Heating and Cooling.
Mirror Image units for easy Service
Street Side Unit has Hot Gas Bypass System
Supply Duct and venting to NC-17 Standards
Under-Floor Air Return.



Electrical:

Input Service: 240VAC 100 Amp 3 Wire



Environmental Power - 15KVa Multi-Tap Transformer with Neutral Tap
Available Voltage Taps: 190, 200, 210, 220, 240, 270
14 Circuit Load Center

Technical Power - 10KVa Multi-Tap Transformer with Neutral Tap
Available Voltage Taps: 190, 200, 210, 220, 240, 270
12 Circuit Load Center



Battery Back-Up System - Hot swap Modular Inverter Frame
(3) 1200 watt Inverter for a total of 3600 watt capacity
Victron 200aH 24v Battery Pack
Victron 16A Multi stage battery charger

Mobile Recording Truck




Dual Zone Central DC Power Supply:

Zone 1 - Rack
+5v, +12v, +15,
-15v & Adj.

Zone 2 - Mixer
+5v, +12v, +15,
-15v & Adj.

Studio Construction:

All Metal Surfaces coated with VBD-5 Noise Damping Compound



Mid to High
Frequency
Absorption - 2”
Foam Board



Low Frequency
Absorption - 1Lb
Vinyl Mass Barrier



Interior Wall
Isolation - RSIC-1
Iso Clip with High
hat channel



Floor Isolation -
Suspended
aluminum structure
with Quiet Liner
Acoustic Sound
Sealant on all
edges and
corners.

Studio Specifications: *Mixer Area*

Solid State Logic C10HD Plus console with 40 faders

(8) 64ch Madi Ports (512 x 512)

160 full channels + 8 stereo FX Returns

2 Program busses Stereo & 5.1

8 Audio Sub Groups - mono, stereo & 5.1

16 Mix Minus/N-1/Aux

8 mono Aux Sends

SSL-2 Interface USB A or C or Super Analog

192 Stage Input paths

5.1 JBL LSR Series 705p Reference Monitors & Dolby DLP DSP


46" Video Monitor with Multi-view and 4 presets

Waves DigiGrid Server 1 with PC Multi-Rack & Assort. Plugins

DK Meter

RTS KP-32 intercom panel.





- 8 Local Microphone inputs
- 48 Local Analog Line Inputs
- 48 Local Analog Line Outputs
- 48 Local AES Inputs
- 48 Local AES Outputs
- 3 Local Madi I/O Ports
(2) Optical (1) BNC


- 8 HD-SDI Audio De-Embedders
- 8 HD-SDI Audio Embedders



Out-Board Equipment: Computer GUI

TC Electronic System 6000 DSP with FX & Mastering Licenses
Waves DigiGrid Server 1 with PC Multi-Rack & Assort. Plugins

Platinum V10.0.0
Studio Classics
Collection V10.0.0
WNS Noise Suppressor
V10.0.0
CLA-76 Compressor /
Limiter V10.0.0
MultiRack SoundGrid
V9.2.0



Studio Specifications: *Secondary Workstations 1 & 2*



Station 1 - Open Station
Audio, Video & Data Patch Lines
24" Video Monitor with multi-view and 4 presets
RTS KP-32 intercom panel.



Station 2 - Protocols Station

Optocore 832 x 768 Pre-Console Router

Mic. Preamp control and recall

Protocols 12. HDx Recorder with 128ch (exp. to 192)

ADK Workstation Nuendo Recorder with 192 ch

AJA Ki-pro HD Video Recorder

2 Ultra-wide Video Monitors for recorder + 3 small preview monitor

RTS KP-32 intercom panel





Local Thunderbolt
Caddy with SSD
Record Drives
Audio, Video &
Data Patch Lines

Rack & EIC Station

EIC Station

Master Control Station for Optocore Routers and preamp, Multi-view and video routers, Ki-pro recorder, Master Network switch and video embedder
2 MAC mini & video Reference Video monitors + keyboard stations



Intercom Rack - Zeus III Matrix and KP patch panels



Main Rack Workbox Drawers:

Drawer 1- Audience Mic. & Voice Over Package





Drawer 2- Recording & Back-up Drive




Drawer 3- Tool Drawer



Drawer 4- Patch Cables




Belly Bay I/O Panel:
 Audio, Video & Data Patch Lines
 5.1 Analog VU Meter



Stage Interface Kart: 216 inputs (152 mic + 64 Dante)

Custom rolling Kart with 22aH Battery system with charging system.

Can operate ID racks 6, 6EX, 7 & 8 for 120 minutes



ID6 Interace Rack:

8 mic inputs

8 analog outputs

64ch Dante SRC inputs and outputs

Optocore Lan + (3) V-lan data port, Fiber link, Sane exp.

ID6EX Expansion Rack

32 mic inputs on XLR

ID7 Mic Preamp Rack

56 mic preamps on W4 Mass connector

8 analog outputs

Optocore Fiber link, LAN, Sane exp.

ID8 Mic Preamp Rack

56 mic preamps on W4 Mass connector

8 analog outputs

Optocore Fiber link, LAN, Sane ex

ID11 Fiber MUX

(8)- HD-SDI Video Inputs, (4) RTS 4 wire ports (2) 1GB fiber ports (1310/1510)

Truck Inventory

Qty	Manufacturer	Model	Description
1	SSL	C10HD plus	40 fader Digital Console
2	SSL	Alpha Live R	Madi to AES/Analog Converters
1	SSL	Morse IO Box	(4) HD-SDI embed/deembed
1	SSL	Bridge	MADI to Dante Bridge
3	SSL	Delta Link	MADI to Protocol interface
1	SSL	Madi Conv.	MADI coax to optical converter
1	SSL	GPI	GPI Interface Box
1	SSL	SSL2	PC Interface
5	JBL	LSR-705p	Powered 5.1 Monitor System
1	DK Meter	MCD 600	5.1 Audio Vectorscope and meter
1	Dolby Lake	DLP	Digital Signal Processor
1	TC Electronics	Finalyzer	Stereo Dynamic Processor
1	TC Electronics	System 6000	8ch FX/Mastering license System
1	DigiGrid	Server 1	Waves DSP
1	DigiGrid	MGO	Digigrd to Madi Optical Converter
1	MAC	MAC Mini	System computer with Waves license
1	Optocore	M12-	8 x 8 Network MADI Routers
1	Optocore	DD4	2 x 2 Network MADI Router
2	Optocore	X6_ID 7&8	Optocore 56 x 8 Preamp Racks
1	Optocore	X6_ID 6ex	Optocore 32 x 0 Preamp expansion
1	Optocore	X6_ID6	Master rack and digital interface
1	Custom	Stage Kart	Custom kart with battery back-up system
2	Broaman	MUX-22	Audio/Video/Intercom over Fiber Converters
1	Brainstorm	DCD 8	Master Clock with Video Sync Generator
1	Drawmer	D Clock	Word Clock D/A
1	Brainstorm	SR-112	Time Code Generator
1	Brainstorm	Distripalyzer	Time Code D/A and Analyzer
1	Yamaha	AD8-HR	8ch Local Microphone Preamps
1	MAC	Cylinder	Protocols Computer in SONNET Chassis
1	Sonnet	Tbolt 2.0 Chassis	Thunderbolt chassis with 3 PCIe slots
2	Avid	HDx Cards	HDx hardware for 128 channels
1	Avid	HD Sync	Time code for Protocols
1	ADK	Worstation	192ch MADI Recorder with Nuendo Live 2
2	MAC	Mini	System Computers
1	Brocade	ICX-7250-48P	Industrial Network Switch
3	Feelworld		Rack mount HD-SDI Monitors
1	Feelworld		Rack mount 3 mini monitor
1	Ross	NK Series	HD-SDI 16 x 4 router
1	Apantac	LX16	16 x 4 Multiview Processor
1	AJA	Ki Pro Rack	HD-SDI Recorder
3	AJA	Ki Pro Drives	2- SSD & 1- HDD
2	LG	Ultra-wide	Recording Station Monitors
1	Dell		Station 1 Video Monitor
1	Sharp	Aquos	46" Video Monitor for Mixer area
1	RTS	Zeus III	Intercom Matrix Frame
4	RTS	KP-32	Intercom Panels
8	Neumann	KM 184	(4) Stereo Sets with stereo bars
2	Sennheiser	MK416	Shotgun Microphones
4	Shure	VP-82	Shotgun Microphones
1	Shure	SM27	Voice Over Microphone

1	Shure	SM58	Console TB Microphone
1	Leviton	D4DMX	4 channel Dimmer with control panels
1	Electrical	15KVA	Isolation Xformer with multi-tap volatage selection
1	Electrical	10KVA	Isolation Xformer with multi-tap volatage selection
1	Electrical	DC Plus	Master DC Supply Center
1	Cotek	3600 KVA	UPS System with 200aH batteries
1	Whirlwind	OC-4-S-Q-1000	1000' Singlemode Quad Tatical fiber cable
1	Camlock	Set	100' #1AWG Entertainment Feeder Cable
1	Gerling	Stalion Body	24' Body with litgate and HVAC units
1	Cobalt		Stainless Steel Tool Box
2	Stanley Miller	Aeron	Mobile chairs
2	Bostrom	Serta	Fixed Air captain chairs